

PARALLEL DISC HARROW WITH INDEPENDENT DISCS

The disc harrows of Vortex series have been thought for the dejection of the stubble and the preparation of the seed bed. The solid construction contributes to an efficient penetration and a good mixing up of the residues of the crops. All the harrows can be combined with an anterior subsoiler with anchors, in order to bestow the equipment more aggressive, favoring a good mixing up between the ground and the crops.

VORTEX

Trailed or brought
parallel disc harrows,
fixed frame or hydraulic
folding



ma/ag
MACCHINE AGRICOLE

VORTEX

PARALLEL DISC HARROW WITH INDEPENDENT DISCS

Trailed version**STANDARD EQUIPMENT**

The parallel disc harrow with independent discs allows surface working both on no till soil and partially worked. The discs are disposed on two opposed orientation rows. Each disc has a watertight hub, independent with bearing. The elements are connected to the frame thanks to a cushioning system endowed with rubber buffers that absorb every vertical solicitations. On series, the equipment is supplied with a couple of lateral containment bands in order to obtain the best working plan as possible. On the rear the equipment can be provided with different type of rollers to complete the working and only with the 3m version, on the front, it can be equipped with a decompactor (RAP) with anchors Michel H600

Version with fixed frame, brought on lift

MOD.	DISCS N.	WORKING WIDTH	TRANSPORT WIDTH	DISC	HP	KG
VTX 30 T	24	3,00	3,15	560	150/170	2.030
VTX 35 T	28	3,50	3,60	560	170/190	2.620
VTX 40 T	32	4,00	4,10	560	200/220	2.940

Version with foldable frame, brought on lift

MOD.	DISCS N.	WORKING WIDTH	TRANSPORT WIDTH	DISC	HP	KG
VTX I 40 T	32	4,00	2,50	560	200/230	3.840
VTX I 50 T	40	5,00	2,50	560	230/280	4.440
VTX I 60 T	48	6,00	2,50	560	280/360	4.850

VORTEX

ACCESSORIES

Front subsoiler with rigid anchors
or Michel h600 for EDP - EDP I



Front subsoiler with rigid anchors or Michel h600 for VTX30P

MOD.	L.LAVORO	L.TRASPORTO	KG	N. ANCORE
RAP 30	3,00	3,00	810	9

Front grinding roller (Mulching)

TRI VTX 30 T	TRI VTX 35 T	TRI VTX 40 T	TRI VTX I 40 T	TRI VTX I 50 T	TRI VTX I 60 T
--------------	--------------	--------------	----------------	----------------	----------------

Harrow for Vortex fixed frame/foldable, brought on lift version

STR VTX 30 P	STR VTX 35 P	STR VTX 40 P	STR VTX I 40 P	STR VTX I 50 P	STR VTX I 60 P
--------------	--------------	--------------	----------------	----------------	----------------

ACCESSORIES

	CAGE ROLLER RG	INDIVIDUAL RING ROLLER RA	DOUBLE RING ROLLER RDA	COMPACT ROLLER CR
	KG	KG	KG	KG
VTX 30 P	430	470	700	700
VTX 35 P	520	540	850	850
VTX 40 P	615	660	1020	980
VTX I 40 P	620	670	1020	1.010
VTX I 50 P	790	840	1250	1.170
VTX I 60 P	880	930	1490	1.390

ma/ag
MACCHINE AGRICOLE



26011 Casalbuttano (Cremona) - ITALIA

Sede Legale e produttiva:

Via Giovanni Paolo II, 12

Tel. +39 0374 363119

Fax +39 0374 360406

Sede amministrativa:

Via Bergamo, 7/b

Tel. +39 0374 362680

Fax +39 0374 362280

www.ma-ag.com - info@ma-ag.com

